




METHYLPHENIDATE ADMINISTERED BID TO TREAT ATTENTION DEFICIT DISORDER


FIG. 1





METHYLPHENIDATE ADMINISTERED TID TO TREAT NARCOLEPSY

FIG. 2





VITAMIN B₁₂

FIG. 3




FIG. 4
BENZODIAZEPINE ADMINISTERED q8h TO TREAT ANXIETY






FIG. 5
TERAZOSIN HYDROCHLORIDE ADMINISTERED q12h TO TREAT HYPERTENSION
(FOR POTENTIAL HEART ATTACK PATIENT)








FIG. 6
TERAZOSIN HYDROCHLORIDE ADMINISTERED BID TO TREAT HYPERTENSION
(FOR POTENTIAL HEART ATTACK PATIENT)





VERAPAMIL (CALCIUM CHANNEL BLOCKER) ADMINISTERED QD TO TREAT HYPERTENSION

FIG. 7





CIMETIDINE (H₂ ANTAGONIST) ADMINISTERED BID TO TREAT GERD

FIG. 8




FIG. 9
 CIMETIDINE (H₂ ANTAGONIST) ADMINISTERED BID TO TREAT GASTRIC ULCER






FIG. 10

CHLOROTHIAZIDE SODIUM: DIURETIC ADMINISTERED q12h

